



## KAFF Ventilating Fans

The Promise of Fresh Air, Forever...





# KAFF

## KAFF VENTILATING FANS

The quality of air we breathe plays a very important role on the quality of our living.

KAFF that has an impeccable range of kitchen appliances and built-in-kitchen systems brings up yet another hallmark – **KAFF Ventilating Fans** that are designed in such a manner they help enhance the air extraction, in the process improve the quality of air.

With focus on sophisticated designs and high functioning, Kaff Ventilating Fans ensure complete quality control and safety standards through their advanced air testing, motor testing and noise volume testing centers.

**KAFF VENTILATING FANS:** Attractive Features, Extraordinary Benefits.

**Quiet performance:** Advanced quality testing system ensures smooth & noise-free operation.

**Exclusive Impeller wheel:** Mirror-grade surface finish on impeller wheel ensures lasting lubrication, rust inhibition and uninterrupted running.

**Corrosion & resistance casing:** A dynamic new electroplating technique on the steel bodies of the fans offers extra-corrosive resistance against rust & fire.

**ABS Material:** ABS plastic louvers and cover impart elegance & durability.

**Outer rotor motor:** The inertia and endurance of the running motor can quickly discharge smoke & dirty odour from a room at the same time maintain the motor's high efficiency.



# INDEX

LYRA - LR6  
HAUS - HS6

01



SVEN - SV6  
SERIES - GL

02



SERIES - L  
SERIES - M

03



SERIES - S  
SERIES - SS

04



SEIRES - SSP  
SERIES - B

05



SIRI - 6  
SKY - 15

06



IN-LINER  
KVF

07



## LYRA - LR 6

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy efficient
- Parametrical air extraction
- Powerful air delivery
- Suitable for wall and glass windows
- Built-in thermo fuse protection the motor
- Black glass
- LED light
- Size: 150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

### Specifications


Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
LYRA -LR6	220-240	25	320	2100	37	150	150

### Dimensions (mm)

Model	A	B	C	D	E
LYRA LR 6	196 x 196	170	42	125	145



MRP: ₹ 4,390



## HAUS - HS6

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy efficient
- Parametrical air extraction
- Powerful air delivery
- Brushed Stainless steel finish
- Suitable for wall and glass windows
- Built-in thermo fuse protection the motor
- Size: 150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

### Specifications


Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
HAUS - HS 6	220-240	25	320	2100	37	150	150

### Dimensions (mm)

Model	A	B	C	D	E
HAUS - HS 6	196 x 196	170	42	125	145



MRP: ₹ 3,490



## SVEN - SV6

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy efficient
- Perametrical air extraction
- Powerful air delivery
- Brushed Stainless steel finish
- Built-in thermo fuse protection the motor
- Suitable for wall and glass windows
- Size: 150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

### Specifications


Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SVEN-SV6	220-240	25	320	2100	38	150	150

### Dimensions (mm)

Model	A	B	C	D	E
SVEN-SV6	196 x 196	170	42	125	145



MRP: ₹ 3,490



## SERIES - GL4

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy-efficient
- Built-in Thermo fuse protection the motor
- Bathroom fan with glass panel
- LED lights
- Size: 100mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

### Specifications

Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SERIES GL4	220-240	15	105	2450	33	70	100


### Dimensions (mm)

Model	A	B	C	D
SERIES GL4	183 X 183	58	151	100

NEW



MRP: ₹ 4,429



## SERIES - L4

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Aerodynamic & cutting-edge design
- Reliable and energy-efficient
- Negligible maintenance of cleaning the blades
- Built-in Thermo fuse protection the motor
- Bathroom fan with stainless steel finish
- LED lights
- Size: 100mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

NEW




MRP: ₹ 3,469

### Specifications

Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SERIES L4	220-240	15	98	2450	33	70	100

### Dimensions (mm)

Model	A	B	C	D
SERIES L4	181 X 181	56	143	100



## SERIES - M

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy-efficient
- Built-in Thermo fuse protection the motor
- High performance
- Negligible maintenance of cleaning the blades
- Bathroom fan with front **Automatic shutter Design**
- Size: 100mm/150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

NEW



MRP: ₹ 3,230 (4")


MRP: ₹ 3,949 (6")

### Specifications

Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SERIES M4	220-240	15	98	2450	33	70	100
SERIES M6	220-240	25	320	2100	37	150	150

### Dimensions (mm)

Model	A	B	C	D
SERIES M4	150 X 150	50	42	98
SERIES M6	210 X 210	56	60	148



## SERIES - S

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Aerodynamic and cutting edge design
- Reliable and energy-efficient
- Negligible maintenance of cleaning the blades
- Front cover easy to dismantle to clean
- Built-in Thermo fuse protection the motor
- Bathroom fan with pilot lamp
- Size: 100mm/ 150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

### Specifications

Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SERIES S4	220-240	15	98	2450	33	70	100
SERIES S6	220-240	25	320	2100	37	150	150


### Dimensions (mm)

Model	A	B	C	D
SERIES S4	151 X 151	34	86	98
SERIES S6	194 X 194	34	120	148

NEW



MRP: ₹ 2,389 (4")  
MRP: ₹ 3,100 (6")



## SERIES - SS

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy-efficient
- Aerodynamic & cutting-edge design
- Built-in Thermo fuse protection the motor
- Front cover easy to dismantle without using any tool, easy cleaning
- Bathroom fan with pilot lamp
- Stainless steel finish
- Backdraught shutters incorporated
- Pilot light operation
- Quick fix grip, exclusive mounting system
- Size: 100mm/ 150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

### Specifications

Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SERIES SS4	220-240	15	98	2450	33	70	100
SERIES SS6	220-240	25	320	2100	37	150	150


### Dimensions (mm)

Model	A	B	C	D
SERIES SS4	152 X 152	35	86	98
SERIES SS6	195 X 195	35	120	148

NEW



MRP: ₹ 2,869 (4")  
MRP: ₹ 3,829 (6")



## SERIES - SSP

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Aerodynamic and cutting edge design
- Reliable and energy-efficient
- Front cover easy to dismantle without using any tool, easy cleaning
- Stainless steel finish painted
- Built-in Thermo fuse protection the motor
- Quick fix grip, exclusive mounting system
- Bathroom fan with pilot lamp
- Size: 100mm/ 150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP

NEW




MRP: ₹ 2,749 (4")  
MRP: ₹ 3,349 (6")

### Specifications

Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SERIES SSP4	220-240	15	98	2450	33	70	100
SERIES SSP6	220-240	25	320	2100	37	150	150

### Dimensions (mm)

Model	A	B	C	D
SERIES SSP4	151 X 151	34	86	98
SERIES SSP6	194 X 194	34	120	148



## SERIES - B

### Features


- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy-efficient
- Ultra slim, recessed design
- Axial fan can be installed in ceiling & wall
- Built-in Thermo fuse protection the motor
- Bathroom fan with off white finish
- Size: 100mm/ 150mm



BACKDRAUGHT SHUTTERS



EASY-TO-CLEAN REMOVABLE COVER



QUICK FIX GRIP



Ultra Slim

NEW




MRP: ₹ 1,910 (4")  
MRP: ₹ 2,590 (6")

### Specifications

Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SERIES B4	220-240	15	98	2450	33	70	100
SERIES B6	220-240	25	320	2100	37	150	150

### Dimensions (mm)

Model	A	B	C	D
SERIES B4	140 X 140	13	86	98
SERIES B6	190 X 190	15	104	148





## SIRI - 6

### Features

- Fresh ABS plastic material
- Quite & longer durability
- 100% Pure copper winding motor
- Reliable and energy-efficient
- Anti reflex shutter (rear)
- Off white finish
- Size: 150mm
- Typo: Wall mounting fan, Glass mounting fans

### Specifications


Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SIRI - 6	220-240	18	320	2100	33	150	150

### Dimensions (mm)

	A	B	C	D
SIRI - 6	200 x 200	20	90	148



MRP: ₹ 1,890



## SKY - 15

### Features

- Fresh ABS plastic material
- Quite & longer durability
- 100% pure copper winding motor
- Reliable and energy-efficient
- Powerful air delivery
- Built-in ceiling ventilation fan
- Powerful static pressure (silent)
- Off white finish
- Typo : Ceiling mounting fan
- Size: 150mm

### Specifications


Model	Rated Voltage (v)	Input (w)	Suction (m3/h)	RPM	Noise (dB)	Area (sqft)	Size (mm)
SKY 15	220-240	25	320	2100	37	150	150

### Dimensions (mm)

Model	A	B	C	D	E	F
SKY 15	270	265	228	20	98	51



MRP: ₹ 4,990




COMING SOON

## IN-LINER

### Features

- In-line fan
- High pressure, Ideal for in line ducting
- Dual speed control
- Full/ Recessed for ceilings
- High Suction Capacity : 130/ 950 (m3/h)
- Fan RPM : 960rpm to 2800rpm
- Fan Typo : Duct Mounted Fan



COMING SOON

## KVF FAN

### Features

- Multi purpose fan
- Low noise and high efficiency
- Protection gaurd on inlate side
- Easy to install and clean



## ACCESSORIES



Fixed Grill



Grill on Pressure



Glass Kit & Ring Fixture

## Specifications

Bathroom Size	Model	Voltage	Watt	RPM	Suction Power (m3/h)	Area Capacity (sqft)	DB Level (A)
	Series - GL4	220-240	15	2450	98	70	33
	Series - L4	220-240	15	2450	98	70	33
	Series - M4	220-240	15	2450	98	70	33
	Series - S4	220-240	15	2450	98	70	33
	Series - SS4	220-240	15	2450	98	70	33
	Series - SSP4	220-240	15	2450	98	70	33
	Series - B4	220-240	15	2450	98	70	33
	Lyra - LR6	220-240	25	2100	320	150	37
	Haus - HS6	220-240	25	2100	320	150	37
	SVEN - SV6	220-240	25	2100	320	150	38
	Series - M6	220-240	25	2100	320	150	37
	Series - S6	220-240	25	2100	320	150	37
	Series - SS6	220-240	25	2100	320	150	37
	Series - SSP6	220-240	25	2100	320	150	37
	Series - B6	220-240	25	2100	320	150	37
	Siri - 6	220-240	18	2100	320	150	33

# KAFF

## KAFF APPLIANCES (INDIA) PVT LTD

### Corporate Office - North

SS Plaza, 4th Floor, Opp. Hilton Garden Inn. Sec-47  
Gurgaon - 122018  
Tel.: 0124 - 2873000 (90 Lines)

### Regional Offices - South

**Karnataka:** 080-40948668, Mob: 09341002334

**Kerala:** 09895981680

**Telangana:** 09885783478

### Regional Office cum Experience Centres

**South:** No. 229, Royal Park, First Floor  
Konnur High Road, Ayanavaram,  
Chennai - 600 023  
Tel.: 044 - 45090292/293/294 Fax: 044 - 45090295  
Mob.: 09500088060

**West:** 25, First Floor, Evershine Mall,  
Link Road, Chincholi Bunder,  
Malad (West), Mumbai - 400 064  
Tel.: 022 - 40213481/82 Mob.: 07710069901

### Regional Office - East

A-206, 2nd Floor, City Centre-2,  
Rajarhat, Kolkata,  
West Bengal - 700 157  
Tel.: 033 - 40620223,  
Mob.: 07603087636

### Kaff Experience Centres

**New Delhi:** Shop No. 25, Ground Floor,  
MGF Metropolitan Mall,  
Saket, New Delhi - 110017  
Mob.: 09873193042

**Gurgaon:** S S Plaza, 3rd Floor, Opp. Hilton  
Garden Inn. Sector 47, Gurgaon 122101  
Mob.: 09910990140

**Mumbai (Worli):** Ground Floor, Atria Mall,  
Worli - 07710072059.

**Mumbai :** 13, Ground Floor, Laxmi Plaza,  
Laxmi Industrial Estate, New Link Road, Andheri  
(W) Mumbai-400058  
Mob.: 7710069901

**Bangalore:** 13 & 14 Srinivasa tower,  
BTM Layout, 100 ft. Ring Road,  
Opposite Reliance Fresh,  
Bengaluru - 560079  
Tel : 080-65471611, Mob: 09341002334

**Pune:** Shop no - 12, Shangrilla Garden,  
Bund Garden Road, Pune - 411001  
Phone 020-26160616, 07777009715

Visit us at: [www.kaff.in](http://www.kaff.in)

Kaff Care: [customercare@kaff.in](mailto:customercare@kaff.in)

Toll Free - 1800-180-2221, 011-25902900

sms KAFF at 56677



IFA-FRA-DEU-  
DNK-ESP-PRT  
BEL-NLD-IRL-GBR ISO 9001:2008

Follow us at



In keeping with our policy of continuous product upgradations, specifications, design and material may change without prior notice.  
No part of this catalogue, whole or in part, may be reproduced or utilized in any form or by any means without written consent from Kaff  
Appliances (India) Pvt. Ltd. © 2019-20

\*Configurations shown in the picture may differ with the actual product.